



Specifications Philips LED Spot Zadora RS049B Aluminium 4.2W 365lm 40D - 827 Extra Warm White | Cutout 75mm - incl. GU10 LED spot

[View Product](#)

General Information

|                          |                                       |
|--------------------------|---------------------------------------|
| SKU                      | 219801                                |
| EAN                      | 8718696070147                         |
| Brand                    | Philips                               |
| Manufacturer Name        | RS049B LED-MS-40-5W-2700-GU10 ALU 50W |
| Any Lamp all-in warranty | 1 Year                                |
| Average Lifetime (h)     | 25000                                 |

Technical Information

|                             |                       |
|-----------------------------|-----------------------|
| Technology                  | LED Integrated        |
| Replaces (Watt)             | 50                    |
| Wattage                     | 4.3                   |
| Suitable for                | GU10                  |
| Voltage (V)                 | 220-240               |
| Dimmable                    | Dimmable              |
| Colour Code                 | 827 Extra Warm White  |
| Colour temperature (Kelvin) | 2700 Extra Warm White |
| Colour Rendering (Ra)       | 80-89                 |
| Colour of Light             | White                 |
| Light colour options        | Single Color          |
| Luminous Flux (Lumen)       | 365                   |

|                          |               |
|--------------------------|---------------|
| Luminous Efficacy (lm/W) | 84.9          |
| Beam Angle (degree)      | 40            |
| Driver Included          | Yes           |
| Product Type Category    | LED spotlight |

## Fixture Information

|                          |                             |
|--------------------------|-----------------------------|
| EOC8                     | 7014799                     |
| Including bulb           | Yes                         |
| Amount of bulbs required | 1                           |
| Mounting Method          | Recessed                    |
| Cut out (mm)             | 75                          |
| Optical Cover            | PC (Polycarbonate)          |
| Suitable for Outdoor     | No                          |
| IP-rating                | IP20                        |
| Impact Protection (IK)   | IK02 - 0.20 joule           |
| Operating Temperature    | -10 to +40                  |
| Housing                  | Aluminium                   |
| Colour of the Fixture    | Grey                        |
| Tiltable                 | Yes                         |
| Fixture Connection       | SI [Screw connection block] |
| Series                   | RS049B                      |

## Dimensions

|               |     |
|---------------|-----|
| Width (mm)    | 145 |
| Height (mm)   | 145 |
| Diameter (mm) | 85  |

## Sensor Information

Type of sensor

No Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

