



**Specifications Noxion LED Panel**  
**Louvre Excell G2 60x60cm 4000K 34W**  
**UGR<15 Frosted Reflector | Cool**  
**White - Replaces 4x14W**

[View Product](#)

## General Information

|                          |                                                              |
|--------------------------|--------------------------------------------------------------|
| SKU                      | 235748                                                       |
| EAN                      | 8719157006415                                                |
| Brand                    | Noxion                                                       |
| Manufacturer Name        | Noxion LED Louvre Excell G2. 34W 4000K 600 Matt (4x14W eqv.) |
| Any Lamp all-in warranty | 6 Years                                                      |
| Average Lifetime (h)     | 70000                                                        |
| Series                   | Louvre Excell                                                |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 4x18            |
| Wattage                     | 34              |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour Code                 | 840 Cool White  |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light colour options        | Single Color    |
| Luminous Flux (Lumen)       | 3450            |

|                          |                   |
|--------------------------|-------------------|
| Luminous Efficacy (lm/W) | 101.5             |
| Suitable for Outdoor     | No                |
| IP-rating                | IP20              |
| Impact Protection (IK)   | IK02 - 0.20 joule |
| Fixture Connection       | Terminal, 2-pole  |
| Finish of Reflector      | Frosted           |
| Driver Included          | Yes               |
| Power factor             | >0.90             |
| Product Type Category    | LED Panel         |

### Fixture Information

---

|                       |                                  |
|-----------------------|----------------------------------|
| Mounting Method       | Recessed                         |
| Unified Glare Rating  | < 15 - for special applications  |
| Optical Cover         | PET (Polyethylene Terephthalate) |
| Operating Temperature | -20 to +50                       |
| Emergency Lighting    | No Emergency Unit                |
| Colour of the Fixture | White                            |
| Housing               | Steel                            |
| Colour of material    | White                            |

### Dimensions

---

|                |         |
|----------------|---------|
| LED panel size | 60x60cm |
| Length (mm)    | 595     |
| Width (mm)     | 595     |
| Height (mm)    | 55      |

### Sensor Information

---

Type of sensor

No Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

